

# Ultra-Slim 38mm

WIFI Bluetooth Door Lock



- ▶ More than 13 unlocking ways
- ▶ APP to manage the lock from any place, compatible with Amazon Alexa
- ▶ Ultra-slim 38mm stainless steel panel, waterproof IP55
- ▶ 3 different handles options. professional for Aluminium door for, specially for Xingfa
- ▶ Sliding - screw design, working with all mortise
- ▶ Absolutely safe, Anti-thief alarm, Random pincode, AES 256 encryption



# 38mm Lock For XingFa Aluminium Door




**Three Different Handles Are Available**

- SUS 304 Material
- IP55 Waterproof



# Screw-Sliding Design

- Fit all Lock Body Sizes
- No Need Extra Re-drill



01

**5572**  
Lock Body



02

**6072**  
Lock Body



03

**4592**  
Lock Body



04

**4585**  
Lock Body




05

**6085**  
Lock Body



# APP TO PROGRAMME /CONTROL THE LOCK



Creat and share pin code remotely

Creat and share ekey remotely

Pin code management

Add/delect card

Remaining batteries/  
 Passage Mode Setting/  
 Volume setting/  
 System upgrade & more

Bluetooth access

WIFI access from any place

Time attendance

Ekey management

Fingerprint management

Unlocking records



**COMPATIBLE WITH HOME AUTOMATION**



amazon alexa  
 Google Home




**APPLE WATCH**  
 androidwear

14 LANGUAGES AND MORE



## Fully functional fingerprint lock



- 
- Fingerprints data stored in lock only, never upploded on cloud and server. No need to worry about hackers stealing fingerprint data.
  - Semi-conductor fingerprint sensor, Fingerprint never left on the sensor surface
  - indentification speed  $\leq 0.1s$ , indentification accuracy  $\geq 100\%$
  - 80% users choose fingerprint unlock methods as their favorite according to user survey

## 5 Minute Quick Install

Easy installation, saving  
time and convenience.



## Class B Bnti-Theft Cylinder

10 times time to be spent for  
tech- burglarize comaped  
with A level





Slide to Fit Old  
Hole Positioning

Service Life Of  
Electronic Part  
≥20,000times

Service Life Of  
Mechanical Part  
≥15,000times

Optional

Optional lock core  
length, (72,85,90,92)  
Suitable for  
all mortise.

